

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



Fig. 1






Fig. 2(a)




Fig. 2(b)

Fig. 3






Fig. 4(a)




Fig. 4(b)

Fig. 5(a)



Fig. 5(b)



Fig. 5(c)



Fig. 6

B16  
treated serum

control






Fig. 7

MRSA  
treated serum

control



Fig. 8

Candida  
treated serum

control



Fig. 9

**Pseudomonas  
treated serum**

**control**



Fig. 10

**Mycobacterium  
treated serum**

**control**



Fig. 11(a)




Fig. 11(b)




Fig. 11(c)




Fig. 11(d)





Fig. 11(e)





**Fig. 12(a)**



**Fig. 12(b)**

Fig. 13

complex materials  
treated serum

control

